
Contents

| | |
|---|-----------|
| Preface | ix |
| 1. Introduction | 1 |
| 1.1 Why a posteriori analysis? | 1 |
| 1.2 A prelude: The simple Hückel theory | 3 |
| 1.2.1 An application: Hückel's "4n+2 rule" | 8 |
| 2. Basic ideas of Hilbert space analysis | 13 |
| 3. A common framework: Atomic resolution of identity | 19 |
| 3.1 The definition | 19 |
| 3.2 Different atomic operators | 21 |
| 3.3 Population analysis | 23 |
| 3.4 Decomposition of electron density and of exchange density | 26 |
| 4. Analysis of the first-order density in Hilbert space | 33 |
| 4.1 The LCAO representation of the first-order density matrix . | 33 |
| 4.2 Mulliken charges and overlap populations: Invariance . . . | 39 |
| 4.3 Löwdin charges and the problem of rotational invariance . | 43 |
| 5. Effective AOs and effective minimal basis sets | 49 |
| 5.1 Definition of effective AOs | 49 |
| 5.2 Some calculations of effective AOs | 57 |
| 6. Bond order and valence indices in the Hilbert space | 65 |
| 6.1 Predecessor: The Wiberg index in CNDO theory | 65 |
| 6.2 Exchange and bonding | 69 |
| 6.3 Exchange density and the bond order | 70 |
| 6.4 Ab initio bond order indices of homonuclear diatomics . . | 74 |
| 6.5 Bond orders in three-center bonds | 78 |
| 6.6 The charge-fluctuation definition of bond order | 82 |
| 6.7 Bond order in the correlated case | 83 |
| 6.8 An example: Dimethylformamide | 89 |

| | | |
|-----------|--|------------|
| 6.9 | An application: Predicting primary mass spectrometric cleavages | 92 |
| 6.10 | Valences and free valences | 95 |
| 6.11 | Hydrogen bonded systems | 100 |
| 6.12 | Partial valences and some remarks on hypervalency | 102 |
| 7. | Open-shell systems and local spins | 105 |
| 7.1 | Effective number of unpaired electrons | 105 |
| 7.2 | Effective number of unpaired electrons and the cumulant | 108 |
| 7.3 | Local spins | 111 |
| 7.3.1 | Local spins for single determinant wave functions | 116 |
| 7.3.2 | Local spins for correlated wave functions | 122 |
| 8. | Energy components in the Hilbert space | 127 |
| 8.1 | Energy partitioning based on the virial theorem | 128 |
| 8.2 | Atomic promotion energies in molecules | 132 |
| 8.3 | Role of hybridization and the VSEPR rules | 135 |
| 8.4 | The CECA method and related schemes | 138 |
| 8.4.1 | The problem of multicenter integrals: The projective integral expansion scheme | 138 |
| 8.4.2 | The integrals in the CECA method | 142 |
| 8.4.3 | The CECA energy components | 145 |
| 8.4.4 | The three- and four-center corrections | 150 |
| 8.4.5 | Remarks about kinetic energy | 153 |
| 8.4.6 | Physical analysis of the diatomic CECA energy components | 154 |
| 8.5 | Improved CECA method | 161 |
| 8.6 | Decomposition of the correlation energy | 172 |
| 9. | Analysis in the three-dimensional space | 177 |
| 9.1 | Different weight functions | 178 |
| 9.2 | Population analysis in the 3D space | 182 |
| 9.3 | Bond orders and valences from the 3D space analysis | 185 |
| 9.4 | Effective AOs from the 3D space analysis | 190 |
| 9.5 | Interrelation between Hilbert-space and 3D analyses | 191 |
| 9.6 | Energy components in the 3D space | 197 |
| 9.7 | Local spins in the 3D space | 202 |

| | |
|---|------------|
| <i>CONTENTS</i> | vii |
| A. APPENDICES | 205 |
| A.1 “Mixed” second quantization for non-orthogonal basis functions | 205 |
| A.1.1 Second quantization for orthogonal functions . . . | 205 |
| A.1.2 “Mixed” second quantization for non-orthogonal functions | 214 |
| A.2 Calculation of Becke’s weight functions | 220 |
| Bibliography | 221 |
| Index | 227 |